CONTENT STRUCTURE

	Section		Торіс
I.	EXPERIMENTAL CHEMISTRY	1.	Experimental Chemistry
II.	ATOMIC STRUCTURE AND STOICHIOMETRY	2. 3.	The Particulate Nature of Matter Formulae, Stoichiometry and the Mole Concept
III.	CHEMISTRY OF REACTIONS	4. 5. 6. 7.	Electrolysis Energy from Chemicals Chemical Reactions Acids, Bases and Salts
IV.	PERIODICITY	8. 9.	The Periodic Table Metals
V.	ATMOSPHERE	10.	Air
VI.	ORGANIC CHEMISTRY	11.	Organic Chemistry

SUBJECT CONTENT

SECTION I: EXPERIMENTAL CHEMISTRY

Overview

Chemistry is typically an experimental science and relies primarily on practical work. It is important for students to learn the techniques of handling laboratory apparatus and to pay special attention to safety while working in the laboratory. Accidents happened even to German chemist, Robert Bunsen, while working in the laboratory. Robert Bunsen spent most of his time doing experiments in the laboratory and at the age of 25, he lost an eye in a laboratory explosion due to the lack of proper eye protection.

In this section, students examine the appropriate use of simple apparatus and chemicals, and experimental techniques. Students need to be aware of the importance of purity in the electronic, pharmaceutical, food and beverage industries, and should be allowed to try out different methods of purification and analysis in school science laboratories. Students should be able to appreciate the need for precision and accuracy in making readings and also value the need for safe handling and disposing of chemicals.

1 Experimental Chemistry

Content

- 1.1 Experimental design
- 1.2 Methods of purification and analysis
- 1.3 Identification of ions and gases

Learning Outcomes

Candidates should be able to:

1.1 Experimental design

- (a) name appropriate apparatus for the measurement of time, temperature, mass and volume, including burettes, pipettes, measuring cylinders and gas syringes
- (b) suggest suitable apparatus, given relevant information, for a variety of simple experiments, including collection of gases and measurement of rates of reaction.

1.2 Methods of purification and analysis

- (a) describe methods of separation and purification for the components of mixtures, to include:
 - (i) use of a suitable solvent, filtration and crystallisation or evaporation
 - (ii) sublimation
 - (iii) distillation and fractional distillation (see also **11.1**(b))
 - (iv) use of a separating funnel
 - (v) paper chromatography
- (b) suggest suitable separation and purification methods, given information about the substances involved in the following types of mixtures:
 - (i) solid-solid
 - (ii) solid-liquid
 - (iii) liquid-liquid (miscible and immiscible)

6092 CHEMISTRY GCE ORDINARY LEVEL SYLLABUS (2018)

- (c) interpret paper chromatograms including comparison with 'known' samples and the use of R_f values
- (d) explain the need to use locating agents in the chromatography of colourless compounds (knowledge of specific locating agents is **not** required)
- (e) deduce from given melting point and boiling point data the identities of substances and their purity
- (f) explain that the measurement of purity in substances used in everyday life, e.g. foodstuffs and drugs, is important.

1.3 Identification of ions and gases

- (a) describe the use of aqueous sodium hydroxide and aqueous ammonia to identify the following aqueous cations: aluminium, ammonium, calcium, copper(II), iron(III), iron(III), lead(II) and zinc (formulae of complex ions are **not** required)
- (b) describe tests to identify the following anions: carbonate (by the addition of dilute acid and subsequent use of limewater); chloride (by reaction of an aqueous solution with nitric acid and aqueous silver nitrate); iodide (by reaction of an aqueous solution with nitric acid and aqueous silver nitrate); nitrate (by reduction with aluminium in aqueous sodium hydroxide to ammonia and subsequent use of litmus paper) and sulfate (by reaction of an aqueous solution with nitric acid and aqueous barium nitrate)
- (c) describe tests to identify the following gases: ammonia (using damp red litmus paper); carbon dioxide (using limewater); chlorine (using damp litmus paper); hydrogen (using a burning splint); oxygen (using a glowing splint) and sulfur dioxide (using acidified potassium manganate(VII)).

SECTION II: ATOMIC STRUCTURE AND STOICHIOMETRY

Overview

For over 2000 years, people have wondered about the fundamental building blocks of matter. As far back as 440 BC, the Greek philosopher Leucippus and his pupil Democritus coined the term *atomos* to describe the smallest particle of matter. It translates to mean something that is indivisible. In the eighteenth century, the chemist John Dalton, revived the term when he suggested that each element was made up of unique atoms and the atoms of an element are all the same. At that time, there were about 35 known elements. This simple model could explain the millions of different materials around us.

Differences between atoms give elements their different chemical properties. Atoms of one or more substances (reactants) undergo some 'rearrangements' during a chemical change (reaction). These rearrangements form new and different substances (products). After the chemical reaction, all the atoms of the reactants are still present in the products. Balanced chemical equations can be written because of the *law of conservation of mass*. These equations make it possible to predict the masses of reactants and products involved in chemical reactions.

In this section, the idea of atoms and chemical bonding being the most important fundamental concept in chemistry is introduced. The knowledge of atomic structure opens the door for students to understand the world of chemical reactions. Students are also introduced to the use of models and theories in the study of the structures of atoms, molecules and ions, and the bonding in elements and compounds. Calculations for chemical reactions involving chemical formulae, reacting masses and volumes, and concentrations introduce students to the fundamentals of stoichiometry.

2 The Particulate Nature of Matter

Content

- 2.1 Kinetic particle theory
- 2.2 Atomic structure
- 2.3 Structure and properties of materials
- 2.4 Ionic bonding
- 2.5 Covalent bonding
- 2.6 Metallic bonding

Learning Outcomes

Candidates should be able to:

2.1 Kinetic particle theory

- (a) describe the solid, liquid and gaseous states of matter and explain their interconversion in terms of the kinetic particle theory and of the energy changes involved
- (b) describe and explain evidence for the movement of particles in liquids and gases (the treatment of Brownian motion is **not** required)
- (c) explain everyday effects of diffusion in terms of particles, e.g. the spread of perfumes and cooking aromas; tea and coffee grains in water
- (d) state qualitatively the effect of molecular mass on the rate of diffusion and explain the dependence of rate of diffusion on temperature.

2.2 Atomic structure

- (a) state the relative charges and approximate relative masses of a proton, a neutron and an electron
- (b) describe, with the aid of diagrams, the structure of an atom as containing protons and neutrons (nucleons) in the nucleus and electrons arranged in shells (energy levels)(knowledge of s, p, d and f classification is **not** required; a copy of the Periodic Table will be available in Papers 1 and 2)
- (c) define proton (atomic) number and nucleon (mass) number
- (d) interpret and use symbols such as ${}^{12}_{6}$ C
- (e) define the term isotopes
- deduce the numbers of protons, neutrons and electrons in atoms and ions given proton and nucleon numbers.

2.3 Structure and properties of materials

- (a) describe the differences between elements, compounds and mixtures
- (b) compare the structure of simple molecular substances, e.g. methane; iodine, with those of giant molecular substances, e.g. poly(ethene); sand (silicon dioxide); diamond; graphite in order to deduce their properties
- (c) compare the bonding and structures of diamond and graphite in order to deduce their properties such as electrical conductivity, lubricating or cutting action (candidates will **not** be required to draw the structures)
- (d) deduce the physical and chemical properties of substances from their structures and bonding and vice versa.

2.4 Ionic bonding

- (a) describe the formation of ions by electron loss/gain in order to obtain the electronic configuration of a noble gas
- (b) describe the formation of ionic bonds between metals and non-metals, e.g. NaC l_1 MgC l_2
- (c) state that ionic materials contain a giant lattice in which the ions are held by electrostatic attraction, e.g. NaCl (candidates will **not** be required to draw diagrams of ionic lattices)
- (d) deduce the formulae of other ionic compounds from diagrams of their lattice structures, limited to binary compounds
- (e) relate the physical properties (including electrical property) of ionic compounds to their lattice structure.

2.5 Covalent bonding

- (a) describe the formation of a covalent bond by the sharing of a pair of electrons in order to gain the electronic configuration of a noble gas
- (b) describe, using 'dot-and-cross' diagrams, the formation of covalent bonds between non-metallic elements, e.g. H₂; O₂; H₂O; CH₄; CO₂
- (c) deduce the arrangement of electrons in other covalent molecules
- (d) relate the physical properties (including electrical property) of covalent substances to their structure and bonding.

2.6 Metallic bonding

- (a) describe metals as a lattice of positive ions in a 'sea of electrons'
- (b) relate the electrical conductivity of metals to the mobility of the electrons in the structure (see also **9.1**(a)).

3 Formulae, Stoichiometry and the Mole Concept

Learning Outcomes

Candidates should be able to:

- (a) state the symbols of the elements and formulae of the compounds mentioned in the syllabus
- (b) deduce the formulae of simple compounds from the relative numbers of atoms present and vice versa
- (c) deduce the formulae of ionic compounds from the charges on the ions present and vice versa
- (d) interpret chemical equations with state symbols
- (e) construct chemical equations, with state symbols, including ionic equations
- (f) define relative atomic mass, A_r
- (g) define relative molecular mass, M_r , and calculate relative molecular mass (and relative formula mass) as the sum of relative atomic masses
- (h) calculate the percentage mass of an element in a compound when given appropriate information
- (i) calculate empirical and molecular formulae from relevant data
- calculate stoichiometric reacting masses and volumes of gases (one mole of gas occupies 24 dm³ at room temperature and pressure); calculations involving the idea of limiting reactants may be set
 (knowledge of the gas laws and the calculations of gaseous volumes at different temperatures and pressures are **not** required)
- (k) apply the concept of solution concentration (in mol/dm³ or g/dm³) to process the results of volumetric experiments and to solve simple problems
 (Appropriate guidance will be provided where unfamiliar reactions are involved.)
- (I) calculate % yield and % purity.

SECTION III: CHEMISTRY OF REACTIONS

Overview

Chemists like Humphry Davy and Svante Arrhenius played important roles in providing a comprehensive understanding of what happens in chemical reactions. A new era of electrochemistry started when Humphry Davy (1778–1829), a British chemist, built a powerful battery to pass electricity through molten salts. He discovered elements, such as potassium, sodium, calcium and magnesium, by liberating them from their molten compounds. Swedish chemist, Svante Arrhenius, in 1887, proposed the theory that acids, bases, and salts in water are composed of ions. He also proposed a simple yet beautiful model of neutralisation – the combination of hydrogen and hydroxyl ions to form water.

In this section, students examine the chemical decomposition of substances by electrolysis, characteristic properties and reactions of acids, bases and salts, the factors affecting the rate of reaction and the energy changes during a reaction. Students should be able to appreciate the importance of proper laboratory techniques and precise calculations for accurate results, and the importance of controlling variables in making comparisons. They should also value the knowledge of the hazardous nature of acids/alkalis and the safe handling, storing and disposing of chemicals.

4 Electrolysis

Learning Outcomes

Candidates should be able to:

- (a) describe electrolysis as the conduction of electricity by an ionic compound (an electrolyte), when molten or dissolved in water, leading to the decomposition of the electrolyte
- (b) describe electrolysis as evidence for the existence of ions which are held in a lattice when solid but which are free to move when molten or in solution
- (c) describe, in terms of the mobility of ions present and the electrode products, the electrolysis of molten sodium chloride, using inert electrodes
- (d) predict the likely products of the electrolysis of a molten binary compound
- (e) apply the idea of selective discharge based on
 - (i) cations: linked to the reactivity series (see also 9.2)
 - (ii) anions: halides, hydroxides and sulfates (e.g. aqueous copper(II) sulfate and dilute sodium chloride solution (as essentially the electrolysis of water))
 - (iii) concentration effects (as in the electrolysis of concentrated and dilute aqueous sodium chloride) (In all cases above, **inert** electrodes are used.)
- (f) predict the likely products of the electrolysis of an aqueous electrolyte, given relevant information
- (g) construct ionic equations for the reactions occurring at the electrodes during the electrolysis, given relevant information
- (h) describe the electrolysis of aqueous copper(II) sulfate with copper electrodes as a means of purifying copper (**no** technical details are required)
- (i) describe the electroplating of metals, e.g. copper plating, and state one use of electroplating
- (j) describe the production of electrical energy from simple cells (i.e. two electrodes in an electrolyte) linked to the reactivity series (see also **9.2**) and redox reactions (in terms of electron transfer).

5 Energy from Chemicals

Learning Outcomes

Candidates should be able to:

- (a) describe the meaning of enthalpy change in terms of exothermic (ΔH negative) and endothermic (ΔH positive) reactions
- (b) represent energy changes by energy profile diagrams, including reaction enthalpy changes and activation energies (see also **6.1**(c),**6.1**(d))
- (c) describe bond breaking as an endothermic process and bond making as an exothermic process
- (d) explain overall enthalpy changes in terms of the energy changes associated with the breaking and making of covalent bonds
- (e) describe hydrogen, derived from water or hydrocarbons, as a potential fuel, reacting with oxygen to generate electricity directly in a fuel cell (details of the construction and operation of a fuel cell are **not** required).

6 Chemical Reactions

Content

- 6.1 Speed of reaction
- 6.2 Redox

Learning Outcomes

Candidates should be able to:

6.1 Speed of reaction

- (a) describe the effect of concentration, pressure, particle size and temperature on the speeds of reactions and explain these effects in terms of collisions between reacting particles
- (b) define the term *catalyst* and describe the effect of catalysts (including enzymes) on the speeds of reactions
- (c) explain how pathways with lower activation energies account for the increase in speeds of reactions (see also **5**(b))
- (d) state that some compounds act as catalysts in a range of industrial processes and that enzymes are biological catalysts (see also 5(b), 6.1(c), 8.3(b) and 10(d))
- (e) suggest a suitable method for investigating the effect of a given variable on the speed of a reaction
- (f) interpret data obtained from experiments concerned with speed of reaction.

6.2 Redox

- (a) define oxidation and reduction (redox) in terms of oxygen/hydrogen gain/loss
- (b) define *redox* in terms of electron transfer and changes in oxidation state
- identify redox reactions in terms of oxygen/hydrogen gain/loss, electron gain/loss and changes in oxidation state
- (d) describe the use of aqueous potassium iodide and acidified potassium manganate(VII) in testing for oxidising and reducing agents from the resulting colour changes.

7 Acids, Bases and Salts

Content

- 7.1 Acids and bases
- 7.2 Salts
- 7.3 Ammonia

Learning Outcomes

Candidates should be able to:

7.1 Acids and bases

- (a) describe the meanings of the terms acid and alkali in terms of the ions they produce in aqueous solution and their effects on Universal Indicator
- (b) describe how to test hydrogen ion concentration and hence relative acidity using Universal Indicator and the pH scale
- (c) describe qualitatively the difference between strong and weak acids in terms of the extent of ionisation
- (d) describe the characteristic properties of acids as in reactions with metals, bases and carbonates
- (e) state the uses of sulfuric acid in the manufacture of detergents and fertilisers; and as a battery acid
- (f) describe the reaction between hydrogen ions and hydroxide ions to produce water, $H^+ + OH^- \rightarrow H_2O$, as neutralisation
- (g) describe the importance of controlling the pH in soils and how excess acidity can be treated using calcium hydroxide
- (h) describe the characteristic properties of bases in reactions with acids and with ammonium salts
- (i) classify oxides as acidic, basic, amphoteric or neutral based on metallic/non-metallic character.

6092 CHEMISTRY GCE ORDINARY LEVEL SYLLABUS (2018)

7.2 Salts

- (a) describe the techniques used in the preparation, separation and purification of salts as examples of some of the techniques specified in Section **1.2**(a) (methods for preparation should include precipitation and titration together with reactions of acids with metals, insoluble bases and insoluble carbonates)
- (b) describe the general rules of solubility for common salts to include nitrates, chlorides (including silver and lead), sulfates (including barium, calcium and lead), carbonates, hydroxides, salts of Group I cations and ammonium salts
- (c) suggest a method of preparing a given salt from suitable starting materials, given appropriate information.

7.3 Ammonia

- (a) describe the use of nitrogen, from air, and hydrogen, from the cracking of crude oil, in the manufacture of ammonia
- (b) state that some chemical reactions are reversible, e.g. manufacture of ammonia
- (c) describe the essential conditions for the manufacture of ammonia by the Haber process
- (d) describe the displacement of ammonia from its salts.

SECTION IV: PERIODICITY

Overview

The development of the Periodic Table started in the 1800s as chemists began to recognise similarities in the properties of various elements and place them in families. The most famous and successful classification, widely accepted by chemists, was published in 1869 by Dmitri Mendeleev, a Russian chemist. His Periodic Table arranged the elements known at that time, in order of increasing atomic masses.

The International Union of Pure and Applied Chemistry (IUPAC) is the gatekeeper of elements and it oversees the Periodic Table of elements. In 2015, IUPAC verified the discoveries of four new elements. A team of scientists from Japan discovered element 113, while elements 115, 117 and 118 were jointly discovered by teams from Russia and USA. The dedication of these scientists led to the completion of the seventh row of the Periodic Table of elements.

In this section, students examine the periodic trends and group properties of elements, the occurrence of metals and their properties, reactivity and uses. Students should be able to appreciate the development of the Periodic Table and hence to envisage that scientific knowledge changes and accumulates over time, and also the need for conserving some of the finite resources.

8 The Periodic Table

Content

- 8.1 Periodic trends
- 8.2 Group properties
- 8.3 Transition elements

Learning Outcomes

Candidates should be able to:

8.1 Periodic trends

- (a) describe the Periodic Table as an arrangement of the elements in the order of increasing proton (atomic) number
- (b) describe how the position of an element in the Periodic Table is related to proton number and electronic structure
- (c) describe the relationship between group number and the ionic charge of an ion of an element
- (d) explain the similarities between the elements in the same group of the Periodic Table in terms of their electronic structure
- (e) describe the change from metallic to non-metallic character from left to right across a period of the Period Table
- (f) describe the relationship between group number, number of valency electrons and metallic/ non-metallic character
- (g) predict the properties of elements in Group I and Group VII using the Periodic Table.

8.2 Group properties

- (a) describe lithium, sodium and potassium in Group I (the alkali metals) as a collection of relatively soft, low density metals showing a trend in melting point and in their reaction with water
- (b) describe chlorine, bromine and iodine in Group VII (the halogens) as a collection of diatomic, nonmetals showing a trend in colour, state and their displacement reactions with solutions of other halide ions
- (c) describe the elements in Group 0 (the noble gases) as a collection of monatomic elements that are chemically unreactive and hence important in providing an inert atmosphere, e.g. argon and neon in light bulbs; helium in balloons; argon in the manufacture of steel
- (d) describe the lack of reactivity of the noble gases in terms of their electronic structures.

8.3 Transition elements

- (a) describe typical transition elements as metals having high melting point, high density, variable oxidation state and forming coloured compounds
- (b) state that the elements and/or their compounds are often able to act as catalysts (see also 6.1(d)).

9 Metals

Content

- 9.1 Properties of metals
- 9.2 Reactivity series
- 9.3 Extraction of metals
- 9.4 Recycling of metals
- 9.5 Iron

Learning Outcomes

Candidates should be able to:

9.1 Properties of metals

- (a) describe the general physical properties of metals as solids having high melting and boiling points, malleable, good conductors of heat and electricity in terms of their structure (see also **2.6**(b))
- (b) describe alloys as a mixture of a metal with another element, e.g. brass; stainless steel
- (c) identify representations of metals and alloys from diagrams of structures
- (d) explain why alloys have different physical properties to their constituent elements.

9.2 Reactivity series

- (a) place in order of reactivity calcium, copper, (hydrogen), iron, lead, magnesium, potassium, silver, sodium and zinc by reference to
 - (i) the reactions, if any, of the metals with water, steam and dilute hydrochloric acid,
 - (ii) the reduction, if any, of their oxides by carbon and/or by hydrogen
- (b) describe the reactivity series as related to the tendency of a metal to form its positive ion, illustrated by its reaction with
 - (i) the aqueous ions of the other listed metals
 - (ii) the oxides of the other listed metals
- (c) deduce the order of reactivity from a given set of experimental results
- (d) describe the action of heat on the carbonates of the listed metals and relate thermal stability to the reactivity series.

9.3 Extraction of metals

(a) describe the ease of obtaining metals from their ores by relating the elements to their positions in the reactivity series.

9.4 Recycling of metals

- (a) describe metal ores as a finite resource and hence the need to recycle metals, e.g. recycling of iron
- (b) discuss the social, economic and environmental issues of recycling metals.

9.5 Iron

- (a) describe and explain the essential reactions in the extraction of iron using haematite, limestone and coke in the blast furnace
- (b) describe steels as alloys which are a mixture of iron with carbon or other metals and how controlled use of these additives changes the properties of the iron, e.g. high carbon steels are strong but brittle whereas low carbon steels are softer and more easily shaped
- (c) state the uses of mild steel, e.g. car bodies; machinery, and stainless steel, e.g. chemical plants; cutlery; surgical instruments
- (d) describe the essential conditions for the corrosion (rusting) of iron as the presence of oxygen and water; prevention of rusting can be achieved by placing a barrier around the metal, e.g. painting; greasing; plastic coating; galvanising
- (e) describe the sacrificial protection of iron by a more reactive metal in terms of the reactivity series where the more reactive metal corrodes preferentially, e.g. underwater pipes have a piece of magnesium attached to them.

SECTION V: ATMOSPHERE

Overview

Our atmosphere has been taken for granted in the past. In the last few decades, scientists and the general public began to realise the adverse effects of pollutants on the air we breathe. It is recognised that pollutants such as sulfur dioxide, oxides of nitrogen, carbon monoxide and particulates released into the atmosphere as a result of energy generation and increased use of motor vehicles, have serious health and environmental consequences.

Increase in levels of carbon dioxide gas leading to global warming has been a worldwide concern. Many nations have taken steps to discuss the reasons behind environmental changes and rise in Earth's temperature which has given grounds to global warming. At the 2015 United Nations Climate Change Conference, the Paris Agreement drafted aims to hold the increase in the global average temperature to below 2°C above pre-industrial levels. With the control of carbon emissions, the world is likely to face less severe consequences of extreme weather conditions such as floods and tsunamis.

In this section, the sources of air pollutants and their effects are examined. Students should be able to value the knowledge of the hazardous nature of pollutants and the environmental issues related to air pollution.

10. Air

Learning Outcomes

Candidates should be able to:

- (a) describe the volume composition of gases present in dry air as being approximately 78% nitrogen, 21% oxygen and the remainder being noble gases (with argon as the main constituent) and carbon dioxide
- (b) name some common atmospheric pollutants, e.g. carbon monoxide; methane; nitrogen oxides (NO and NO₂); ozone; sulfur dioxide; unburned hydrocarbons
- (c) state the sources of these pollutants as
 - (i) carbon monoxide from incomplete combustion of carbon-containing substances
 - (ii) nitrogen oxides from lightning activity and internal combustion engines
 - (iii) sulfur dioxide from volcanoes and combustion of fossil fuels
- (d) describe the reactions used in possible solutions to the problems arising from some of the pollutants named in (b)
 - (i) the redox reactions in catalytic converters to remove combustion pollutants (see also **6.1**(d))
 - (ii) the use of calcium carbonate to reduce the effect of 'acid rain' and in flue gas desulfurisation
- (e) discuss some of the effects of these pollutants on health and on the environment
 - (i) the poisonous nature of carbon monoxide
 - (ii) the role of nitrogen dioxide and sulfur dioxide in the formation of 'acid rain' and its effects on respiration and buildings
- (f) discuss the importance of the ozone layer and the problems involved with the depletion of ozone by reaction with chlorine-containing compounds, chlorofluorocarbons (CFCs)
- (g) describe the carbon cycle in simple terms, to include
 - (i) the processes of combustion, respiration and photosynthesis
 - (ii) how the carbon cycle regulates the amount of carbon dioxide in the atmosphere
- (h) state that carbon dioxide and methane are greenhouse gases and may contribute to global warming, give the sources of these gases and discuss the possible consequences of an increase in global warming.

SECTION VI: ORGANIC CHEMISTRY

Overview

In the nineteenth century, chemists believed that all organic chemicals originated in tissues of living organisms. Friedrich Wohler, in 1828, challenged this belief and synthesised the organic compound urea, a compound found in urine, under laboratory conditions. His work led other chemists to attempt the synthesis of other organic compounds.

In this section, students examine the sources of fuels, some basic concepts of organic chemistry such as homologous series, functional group, general formula and structural formula, and polymers. Students should be able to identify and name unbranched alkanes, alkenes, alcohols and carboxylic acids. They should recognise that materials such as plastics, detergents and medicines, and even the food that we eat are examples of organic compounds. Students should be able to value the need for assessing the impacts of the use of synthetic materials and the environmental issues related to the use of plastics.

11 Organic Chemistry

Content

- 11.1 Fuels and crude oil
- 11.2 Alkanes
- 11.3 Alkenes
- 11.4 Alcohols
- 11.5 Carboxylic acids
- 11.6 Macromolecules

Learning Outcomes

Candidates should be able to:

11.1 Fuels and crude oil

- (a) name natural gas, mainly methane, and petroleum as sources of energy
- (b) describe petroleum as a mixture of hydrocarbons and its separation into useful fractions by fractional distillation (see also **1.2**(a))
- (c) name the following fractions and state their uses
 - (i) petrol (gasoline) as a fuel in cars
 - (ii) naphtha as the feedstock and main source of hydrocarbons used for the production of a wide range of organic compounds in the petrochemical industry (see also **11.1**(d))
 - (iii) paraffin (kerosene) as a fuel for heating and cooking and for aircraft engines
 - (iv) diesel as a fuel for diesel engines
 - (v) Iubricating oils as lubricants and as a source of polishes and waxes
 - (vi) bitumen for making road surfaces
- (d) describe the issues relating to the competing uses of oil as an energy source and as a chemical feedstock (see also 11.1(c)(ii)).

11.2 Alkanes

- (a) describe a homologous series as a group of compounds with a general formula, similar chemical properties and showing a gradation in physical properties as a result of increase in the size and mass of the molecules, e.g. melting and boiling points; viscosity; flammability
- (b) describe the alkanes as a homologous series of saturated hydrocarbons with the general formula C_nH_{2n+2}
- (c) draw the structures of branched and unbranched alkanes, C₁ to C₄, and name the unbranched alkanes methane to butane
- (d) define isomerism and identify isomers
- (e) describe the properties of alkanes (exemplified by methane) as being generally unreactive except in terms of combustion and substitution by chlorine.

11.3 Alkenes

- (a) describe the alkenes as a homologous series of unsaturated hydrocarbons with the general formula $C_n H_{2n}$
- (b) draw the structures of branched and unbranched alkenes, C₂ to C₄, and name the unbranched alkenes ethene to butene
- (c) describe the manufacture of alkenes and hydrogen by cracking hydrocarbons and recognise that cracking is essential to match the demand for fractions containing smaller molecules from the refinery process
- (d) describe the difference between saturated and unsaturated hydrocarbons from their molecular structures and by using aqueous bromine
- (e) describe the properties of alkenes (exemplified by ethene) in terms of combustion, polymerisation and the addition reactions with bromine, steam and hydrogen
- (f) state the meaning of polyunsaturated when applied to food products
- (g) describe the manufacture of margarine by the addition of hydrogen to unsaturated vegetable oils to form a solid product.

11.4 Alcohols

- (a) describe the alcohols as a homologous series containing the -OH group
- (b) draw the structures of alcohols, C₁ to C₄, and name the unbranched alcohols methanol to butanol
- (c) describe the properties of alcohols in terms of combustion and oxidation to carboxylic acids
- (d) describe the formation of ethanol by the catalysed addition of steam to ethene and by fermentation of glucose
- (e) state some uses of ethanol, e.g. as a solvent; as a fuel; as a constituent of alcoholic beverages.

11.5 Carboxylic acids

- (a) describe the carboxylic acids as a homologous series containing the -CO₂H group
- (b) draw the structures of carboxylic acids, methanoic acid to butanoic acid, and name the unbranched acids, methanoic acid to butanoic acid
- (c) describe the carboxylic acids as weak acids, reacting with carbonates, bases and some metals
- (d) describe the formation of ethanoic acid by the oxidation of ethanol by atmospheric oxygen or acidified potassium manganate(VII)
- (e) describe the reaction of a carboxylic acid with an alcohol to form an ester, e.g. ethyl ethanoate
- (f) state some commercial uses of esters, e.g. perfumes; flavourings; solvents.

11.6 Macromolecules

- (a) describe macromolecules as large molecules built up from small units, different macromolecules having different units and/or different linkages
- (b) describe the formation of poly(ethene) as an example of addition polymerisation of ethene as the monomer
- (c) state some uses of poly(ethene) as a typical plastic, e.g. plastic bags; clingfilm
- (d) deduce the structure of the polymer product from a given monomer and vice versa
- (e) describe nylon, a polyamide, and *Terylene*, a polyester, as condensation polymers, the partial structure of nylon being represented as

and the partial structure of Terylene as

(Details of manufacture and mechanisms of these polymerisations are **not** required.)

- (f) state some typical uses of man-made fibres such as nylon and *Terylene*, e.g. clothing; curtain materials; fishing line; parachutes; sleeping bags
- (g) describe the pollution problems caused by the disposal of non-biodegradable plastics.

SUMMARY OF KEY QUANTITIES, SYMBOLS AND UNITS

The list below is intended as a guide to the more important quantities which might be encountered in teaching and used in question papers. The list is not exhaustive.

Base quantitiesmass m g , kg, tonnelength l cm , m time t s , minamount of substance n mol Other quantitiestemperature θ , t $^{\circ}$ Cvolume V , v cm^3 , m^3 , dm density ρ g/cm^3 , kg/ m atomic mass m_a g relative $\int_{-\infty}^{atomic} atomic \\ atomic \\ massA_r-$	
length / cm, m time t s, min amount of substance n mol t s, min mol t substance t s, min mol t t s, min mol t t s, min mol t	
time t s, min amount of substance n mol t	
amount of substance n mol $Other quantities$ temperature θ, t °C volume V, v cm³, m³, dm density ρ g/cm³, kg/matomic mass m_a g	
Other quantities temperature θ , t °C volume V , v cm³, m³, dm density ρ g/cm³, kg/n atomic mass m_a g	
temperature θ, t °C volume V, v cm³, m³, dm density ρ g/cm³, kg/s atomic mass m_a g	
volume V, V cm ³ , m ³ , dm density ρ g/cm ³ , kg/n atomic mass m_a g	
density ρ g/cm ³ , kg/r atomic mass $m_{\rm a}$ g	
atomic mass $m_{\rm a}$ g	
atomic	n^3
relative { isotopic } mass A_r —	
molecular mass m g	
relative molecular mass $M_{\rm r}$ —	
molar mass M g/mol	
nucleon number A —	
proton number Z –	
neutron number N –	
enthalpy change of reaction ΔH J, kJ	
bond energy - kJ/mol	
concentration c mol/dm³, g/	dm ³
pH pH –	